

## Postemergence Grass Control with Excellent Crop Safety

Select Max® Herbicide with Inside Technology™ is a unique formulation that delivers superior performance with excellent crop safety. With adjuvant and tank mix flexibility, *Select Max* is a postemergence herbicide that offers total performance including the fastest, most powerful way to control volunteer corn and other grasses.

- ▶ Fast control with increased uptake and translocation
- ▶ Flexibility to use adjuvant of choice and tank mix with other herbicides
- ▶ Superior control with excellent crop safety for total performance

### How To Use—Crop Summary\*

Crop	Annual Grass Rate (fl oz/A)	Perennial Grass Rate (fl oz/A)	PHI (days)
<b>Artichokes (Globe)</b>	9–16	12–16	5
<b>Beans, dry</b> (except soybeans)	9–16	12–32	30
<b>Beans, succulent shelled</b>	9–16	12–16	21
<b>Beets, Garden</b>	9–16	12–16	30
<b>Brassica Head and Stem Vegetables</b>	9–16	12–16	30
<b>Brassica Leafy Greens</b> (except radish leaves, turnip greens and watercress)	9–16	12–16	14
<b>Carrots</b>	9–16	12–16	30
<b>Fruiting Vegetables</b> (except okra and tomatoes)	9–16	12–16	20
<b>Leaf Lettuce</b>	9–16	12–16	14
<b>Leaf Petioles Vegetables</b>	9–16	12–16	30
<b>Leafy Greens</b>	9–16	12–16	14
<b>Legume Vegetables, Edible Podded</b>	9–16	12–16	21
<b>Okra</b>	9–16	12–16	3
<b>Onions (Dry Bulbs Only)†</b>	9–16	12–32	45
<b>Potatoes</b>	9–16	12–32	30
<b>Radishes, Radish (Leaves)</b>	9–16	12–16	15

## How To Use—Crop Summary\* continued

Crop	Annual Grass Rate (fl oz/A)	Perennial Grass Rate (fl oz/A)	PHI (days)
<b>Root Vegetables</b> (except sugar beets and radishes)	9–16	12–16	30
<b>Squash/Cucumbers</b>	9–16	12–16	14
<b>Stalk and Stem Vegetables**</b>	9–16	12–16	1
<b>Sugar Beets</b>	9–16	12–32	40
<b>Tomatoes</b>	9–16	12–32	20
<b>Tuberous and Corm Vegetables</b> (except potatoes)	9–16	12–32	30
<b>Turnip Greens</b>	9–16	12–16	14
<b>Watercress**</b>	9–16	12–16	30

\*Not for use on vegetable crops being grown for seed production unless specific use directions on provided on the label. Refer to the label for a complete listing of vegetable crops.

†In California, do not apply to garlic or onion until crop has at least two full leaves. Use a 14-day spray interval between the application of *Select Max* and liquid nitrogen or other herbicide applications. Injury to crop may occur when shorter intervals are observed.

\*\*Not for use in California.

## Other Important Information

- ▶ Refer to the label for specific crop maximum applications and rates
- ▶ Do not apply more than 64 fl oz/A per season (32 fl oz/A for Long Island, NY)
- ▶ For repeat applications on applicable crops, make on a minimum of a 14-day interval
- ▶ Refer to the label for additional special use instructions and restrictions
- ▶ REI: 24 hours



Products That Work, From People Who Care® | [valent.com](http://valent.com) | 800-6-VALENT (682-5368)

**Always read and follow label instructions.**

*with Inside Technology* is a trademark and *Select Max* and *Products That Work, From People Who Care* are registered trademarks of Valent U.S.A. LLC. *Select Max* is covered under U.S. Patent No. 7,651,977. ©2025 Valent U.S.A. LLC. All rights reserved. Printed in the U.S.A. 2025-SMAX-8018 10/25



LEARN MORE